

Date: _____
Type: _____
Firm Name: _____
Project: _____

Controller Keypad

White

CONTROLLER

Wall-mounted keypad for triggering iPlayer 3 light shows

Controller Keypad is a convenient and elegant user interface to iPlayer 3, a compact DMX lighting controller that stores and plays back custom ColorPlay 3 light shows. iPlayer 3 and Controller Keypad integrate to provide push-button playback of up to eight shows per keypad.



- Full set of lighting controls — Each keypad instantly and conveniently triggers up to eight iPlayer 3 light shows. Onboard indicator lamps identify the current show. Dimmer controls adjust the brightness of light luminaires during playback, and a master OFF switch turns all show lights off.
- Simple installation — Mounts in a standard U.S. single-gang wall box. Uses a single serial cable to connect with iPlayer 3.
- Standard support for two Controller Keypads within a single installation — Standard configuration allows you to easily install two keypads in a single iPlayer 3 installation, for control of up to 16 shows. With advanced instructions, you can install up to eight keypads in a single installation, for control of up to 64 total shows.
- Compact design with sleek Decora style faceplate — Compact design uses wall space efficiently. Industry standard Decora style faceplate hides mounting hardware for a clean look that blends with a variety of architectural styles.

For more information, please refer to
www.colorkinetics.com/ls/controllers/controllerkeypad/

Specifications

Due to continuous improvements and innovations, specifications may change without notice.

Control

Serial	+5 VDC @ 50 mA, from iPlayer 3 Controller
--------	---

Physical

Dimensions	119 x 74 x 33 mm (4.7 x 2.9 x 1.31 in)
------------	--

(Height x Width x Depth)

Weight	85 g (3 oz)
--------	-------------

Housing	Medium matte white plastic Decora style faceplate
---------	---

Connector/Cable	Serial cable, 20 ft (6.1 m) included. Length of up to 50 ft (15.2 m) supported.
-----------------	---

Mounting	Mounts in single-gang wall box
----------	--------------------------------

Operating Temperature	-10 to 40 °C (14 to 104 °F)
-----------------------	-----------------------------

Startup Temperature	-10 to 50 °C (14 to 122 °F)
---------------------	-----------------------------

Storage Temperature	-40 to 80 °C (-40 to 176 °F)
---------------------	------------------------------

Humidity	0 to 95%, non-condensing
----------	--------------------------


Certification and Safety

Certification	CE
---------------	----


Environment	Indoor, Dry
-------------	-------------




Dimensions




Typical iPlayer 3 Installation with Controller Keypad



Front



Back



Controller Keypad and Accessories

Use Item Number when ordering in North America.

Controller	Item Number	Item 12NC
Controller Keypad White	103-000020-00	910503700223
<i>Controller Keypad, 6.1 m (20 ft) serial cable, Standard single-gang wall box for use outside of North America, (2) self-threading flat-head countersunk M2.5 screws, Decora style faceplate</i>		
Accessories		
iPlayer 3 with North America Power Cord	103-000019-00	910403327101
iPlayer 3 with Europe Power Cord	103-000019-01	910503700392



© 2023 Signify Holding. All rights reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed.

Color Kinetics
www.colorkinetics.com