



LED PAR38

17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM

Philips LED spots with a single optic beam, provide a clean beam that's free from shadows with beam angles from 15 and 40 degrees to suit every general lighting application.

Product data

| General Information | |
|--------------------------------------|-----------------------------------|
| Lighting Technology | LED |
| Switching Cycle | 50,000 |
| Nominal lifetime | 25,000 hour(s) |
| Cap-Base | E26 [Single Contact Medium Screw] |
| | |
| Light Technical | |
| Color Code | 930 [CCT of 3000K] |
| Beam Angle (Nom) | 25 degree(s) |
| Luminous Flux | 1,200 lumen |
| Luminous Intensity (Nom) | 6,000 cd |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3000 K |
| Luminous Efficacy (rated) (Nom) | 70 lm/W |
| Color Consistency | <6 |
| Color rendering index (CRI) | 90 |
| LLMF At End Of Nominal Lifetime (Non | n) 70 % |
| | |
| Operating and Electrical | |
| Line Frequency | 60 Hz |
| Input Frequency | 60 Hz |
| Power Consumption | 17 W |
| Lamp Current (Nom) | 170 mA |
| Wattage Equivalent | 120 W |

| Starting Time (Nom) | 0.5 s |
|-------------------------------|-----------------------------|
| Warm-up time to 60% light | 0.5 s |
| Power Factor (Fraction) | 0.9 |
| Voltage (Nom) | 120 V |
| | |
| Temperature | |
| T-Case Maximum (Nom) | 90 ℃ |
| | |
| Controls and Dimming | |
| Dimmable | Yes |
| | |
| Mechanical and Housing | |
| Bulb Finish | Clear |
| Bulb Material | Plastic |
| Bulb Shape | PAR38 [PAR 4.75 inch/121mm] |
| | |
| Approval and Application | |
| Suitable For Accent Lighting | Yes |
| Energy Consumption kWh/1000 h | - kWh |
| Energy Certifications | Energy Star |
| EU RoHS compliant | Yes |
| | |
| | |


Datasheet, 2023, July 3 data subject to change

LED PAR38

| Product Data | |
|---------------------------------|-----------------------------|
| Order product name | 17PAR38/EXPERTCOLOR RETAIL/ |
| | F25/930/DIM |
| Order code | 929001285304 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 6 |


| Material number (12NC) | 929001285304 |
|------------------------|-----------------------------|
| Full product name | 17PAR38/EXPERTCOLOR RETAIL/ |
| | F25/930/DIM |
| EAN/UPC - Case | 50046677471007 |


Dimensional drawing




| Product | D | С |
|--|----------|----------|
| 17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM | 120.7 mm | 134.6 mm |


Photometric data








Accent Lighting Spots - 17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM




Light Distribution Diagram - 17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM

LED PAR38

Lifetime





Life Expectancy Diagram - 17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM

Lumen Maintenance Diagram - 17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM

