



A-Shape LED

20A30/LED/865/FR/P/E26/ND 4/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data


| General information | |
|---------------------------------------|------------------------------------|
| Base | E26 [Single Contact Medium Screw] |
| EU RoHS compliant | Yes |
| Nominal Lifetime (Nom) | 25000 h |
| Switching Cycle | 50000 |
| Light technical | |
| Color Code | 865 [CCT of 6500K] |
| Beam Angle (Nom) | 150 ° |
| Initial lumen (Nom) | 2300 lm |
| Color Designation | Cool Daylight |
| Correlated Color Temperature (Nom) | 6500 K |
| Luminous Efficacy (rated) (Nom) | 115.00 lm/W |
| Color Consistency | <6 |
| Color Rendering Index (Nom) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Operating and electrical | |
| Input Frequency | 60 Hz |
| Power (Rated) (Nom) | 20 W |
| Lamp Current (Nom) | 175 mA |
| Wattage Equivalent | 160 W |
| Starting Time (Nom) | 1 s |
| Warm Up Time to 60% Light (Nom) | 1 s |

| Power Factor (Nom) | 0.9 |
|---------------------------------|---------------------------------|
| Voltage (Nom) | 120 V |
| Temperature | |
| T-Case Maximum (Nom) | 185 °F |
| Controls and dimming | |
| Dimmable | No |
| Mechanical and housing | |
| Bulb Finish | Frosted |
| Bulb Material | Plastic |
| Bulb Shape | A30 [A 30mm] |
| Approval and application | |
| Energy Consumption kWh/1000 h | - kWh |
| Product data | |
| Order product name | 20A30/LED/865/FR/P/E26/ND 4/1FB |
| EAN/UPC - Product | 046677479282 |
| Order code | 479287 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 4 |
| Material Nr. (12NC) | 929001854715 |

A-Shape LED

| | |
|--------------------|----------|
| Net Weight (Piece) | 0.406 lb |
|--------------------|----------|


Dimensional drawing




20A30/LED/865/FR/P/E26/ND 4/1FB

| Product | D | C |
|---------------------------------|----------|-----------|
| 20A30/LED/865/FR/P/E26/ND 4/1FB | 3-3/4 in | 7-5/16 in |


Photometric data



LEDbulb 20W A30 E26 865 15D ND




LEDbulb 20W A30 E26 865 15D ND




LEDbulb 20W A30 E26 865 15D ND

A-Shape LED

Lifetime



LEDbulb 20W A30 E26 865 15D ND



LEDbulb 20W A30 E26 865 15D ND

