



TrueForce High Lumen PAR

23PAR30s/PER/930/F25/ND/120V 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.

Product data

General Information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	23-75W

Light Technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	25 °
Initial lumen (Nom)	1900 lm
Luminous Intensity (Nom)	9000 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	82.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	23 W

Lamp Current (Nom)	206 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	94 °C

Controls and Dimming	
Dimmable	No

Approval and Application	
Energy Efficiency Label (EEL)	Not applicable
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	- kWh


Product Data	
Order product name	23PAR30s/PER/930/F25/ND/120V 6/1FB
EAN/UPC - Product	046677534691
Order code	534693

TrueForce High Lumen PAR

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001917504

Net Weight (Piece)	0.220 kg
--------------------	----------


Dimensional drawing




PAR30s 24.5-W 2000lm 25D 3000K E26 ND

Product
23PAR30s/PER/930/F25/ND/120V 6/1FB


Photometric data



LEDspot 23 PAR30L 930 F25




LEDspot PAR30 1FB




LEDspot 23 PAR30L 930 F25

TrueForce High Lumen PAR

Lifetime



LEDspot PAR30 1FB



LEDspot PAR30 1FB

