



### Surface Trac

Includes dead-end and mounting hardware.

### Description

One-Circuit Trac-Master® sections are available as surface mounted trac or may be suspended from ceiling with pendant accessories listed on page 806.

### Features

- Extruded aluminum channel
- Extruded thermoplastic insulator
- Debossed polarity line
- 12 gauge solid copper conductors
- Concealed wireway on top of trac section
- 20 amp capacity
- UL Listed, CSA Certified
- Can be cut to custom length by installer

Trac-Master®



Catalog #	Finish	Description	Dimensions
T2WH	White	(actual length 19 7/8")	
T2BL	Black		
T2NA	Natural		
T2SL	<b>NEW</b> Silver		
T4WH	White	(actual length 43 7/8")	
T4BL	Black		
T4NA	Natural		
T4SL	<b>NEW</b> Silver		
T6WH	White	(actual length 67 7/8")	
T6BL	Black		
T6NA	Natural		
T6SL	<b>NEW</b> Silver		
T8WH	White	(actual length 91 7/8")	
T8BL	Black		
T8NA	Natural		
T8SL	<b>NEW</b> Silver		
T12WH	White	(actual length 139 7/8")	
T12BL	Black		
T12NA	Natural		
T12SL	<b>NEW</b> Silver		

### Electrical End Feeds



Catalog #	Finish	Description	Dimensions
T21WH	White	<ul style="list-style-type: none"> <li>• For outlet box feed</li> <li>• Includes outlet cover, fixture</li> </ul>	
T21BL	Black		
T21SL	<b>NEW</b> Silver		

### End Feed Connector and Outlet Box Cover



Catalog #	Finish	Description	Dimensions
T34WH	White	<ul style="list-style-type: none"> <li>• For surface wiring</li> <li>• Accepts standard 1/2" connector</li> </ul>	
T34BL	Black		
T34SL	<b>NEW</b> Silver		

### Conduit Adapter



Catalog #	Finish	Description	Dimensions
T36WH	White	<ul style="list-style-type: none"> <li>• Wiring compartment contains standard 1/2" KO's</li> <li>• Feeds surface trac from above when T-Bar is directly above trac</li> </ul>	
T36BL	<b>NEW</b> Black		
T36SL	<b>NEW</b> Silver		

### T-Bar End Feed