









Steel Stud Boxes

Device Boxes

			
CI3102-LSSAX	CI3102-SSX	CI2104-LSSAX	
			
CI2104-LSSA-2X	CI2104-LSSX	CI2104-LSS1X-1	CI2104-LSS2X-1
			
CI2104-LSS3X-1	CI-2104-LSS-2X	CI-2104-LSS-3X	CISSX-6














Cat. No.	Volume (Cu. in.)	Width (in.)	Features	Knockouts			Pryouts ends
			Clamps	1/2 in. ends	1/2 in. bottom	3/4 in. ends	
Device Boxes — 2 in. Deep — Gangable — 3 in. High							
CI3102-LSSAX	12.0	2	Loomex/BX	-	-	-	4
CI3102-SSX	12.0	2	-	2	-	-	-
Device Boxes — 2-1/2 in. Deep — Pre-Ganged — 3 in. High							
CI2104-LSSAX	12.5	2	Loomex/BX	-	-	-	4
CI2104-LSSA-2X	25.0	3-3/4	Loomex/BX	-	-	-	8
CI2104-LSSA-3X	37.5	5-1/2	Loomex/BX	-	-	-	12
CI2104-LSSA-4X	50.0	7-3/8	Loomex/BX	-	-	-	16
CI2104-LSSX	12.5	2	Loomex/BX	-	-	-	4
CI2104-LSS1X-1	12.5	2	Loomex/BX	-	-	-	4
CI2104-LSS2X-1	25.0	3-3/4	Loomex/BX	-	-	-	8
CI2104-LSS3X-1	37.5	5-1/2	Loomex/BX	-	-	-	12
CI-2104-LSS-2X	25.0	3-3/4	Loomex/BX	-	-	-	8
CI-2104-LSS-3X	37.5	5-1/2	Loomex/BX	-	-	-	12
CI2104-LSS-4X	50.0	7-3/8	Loomex/BX	-	-	-	16

Cat. No.	Description
Support Brackets	
CISSX-6	Support bracket extension for 6 in. metal stud

Steel Stud Boxes

Device Boxes

				
CI3104-KSSX	CI3104-KSSX-5/8	CI3104-KSSX-NG*	BC3104-KSS1X-1	BC3104-LSSAX
				
BC3104-LSSX	BC3104-LSSAX-NG*	CI3104-LSS1X-1	CI3104-LSSA1X-1	
				
CI1504-LSSAX	CI3004-LSSAX-1	CI3004-LSSX-1	CISSX-6	

* Heavy-duty adjustable bracket that provides solid support even up to 3-1/2 in. away from steel studs.











Cat. No.	Volume (Cu. in.)	Features	Knockouts			Pryouts
		Clamps	1/2 in. ends	1/2 in. bottom	3/4 in. ends	ends
Device Boxes — 2-1/2 in. Deep — Gangable — 3 in. x 2 in.						
CI3104-KSSX	16.0	-	2	2	2	-
CI3104-KSSX-5/8	16.0	-	2	2	2	-
CI3104-KSSX-NG*	16.0	-	2	2	2	-
BC3104-KSS1X-1	16.0	-	2	2	2	-
BC3104-LSSAX	16.0	Loomex/BX	-	-	-	4
BC3104-LSSAX-NG*	16.0	Loomex/BX	-	-	-	4
BC3104-LSSX	16.0	Loomex/BX	-	-	-	4
CI3104-LSS1X-1	16.0	Loomex/BX	-	-	-	4
CI3104-LSSA1X-1	16.0	Loomex/BX	-	-	-	4
CI3104-SSX	16.0	Loomex/BX	2	2	-	-
Device Boxes — 2-1/2 in. Deep — Non-Gangable — 3 in. x 2-1/4 in.						
CI1504-LSSAX	15.0	Loomex/BX	-	-	-	4
Device Boxes — 3 in. Deep — Gangable — 3 in. x 2 in.						
CI3004-LSSAX-1	18.0	Loomex/BX	-	-	-	4
CI3004-LSSX	18.0	Loomex/BX	-	-	-	4
CI3004-LSSX-1	18.0	Loomex/BX	-	-	-	4

* Heavy-duty adjustable bracket that provides solid support even up to 3-1/2 in. away from steel studs and supplied with raised ground screws.

Cat. No.	Description
Support Brackets	
CISSX-6	Support bracket extension for 6 in. metal stud

Steel Stud Boxes

347 V Boxes and Power Communication Boxes


CI1204-LSSAX-HV

CI4204-KSSX

CI4204-LSSX

CI4204-LSSAX

CI4304-LSSX

CI4304-LSSAX

CI1204-SSX-HV

CI1204-SS1X-HV







CISSX-6


Cat. No.	Volume (Cu. in.)	Features	Knockouts			Pryouts
		Clamps	1/2 in. ends	1/2 in. bottom	3/4 in. ends	ends
347 V Boxes — 2-1/2 in. Deep — Gangable — 3 in. x 2-1/4 in.						
CI1204-SSX-HV	16.0	Loomex/BX	2	-	-	-
CI1204-LSSAX-HV	16.0	Loomex/BX	-	-	-	4
CI1204-SS1X-HV	16.0	Loomex/BX	2	-	-	-
Power / Communication Boxes — 2-1/2 in. Deep — Pre-Ganged — 3 in. x 2 in. / gang						
CI4204-KSSX	12.5 / gang	-	4	4	4	-
CI4204-LSSX	12.5 / gang	Loomex/BX	2	2	2	4
CI4204-LSSAX	12.5 / gang	Loomex/BX	2	2	2	4
CI4204-LSSAX-1	12.5 / gang	Loomex/BX	2	2	2	4
CI4304-LSSX	12.5 / gang	Loomex/BX	-	-	-	4
CI4304-LSSAX	12.5 / gang	Loomex/BX	-	-	-	4

Cat. No.	Description
Support Brackets	
CISSX-6	Support bracket extension for 6 in. metal stud

Steel Stud Boxes

4 in. and 4-11/16 in. Square Boxes and 4 in. Octagonal Boxes

				
BC52151-KSSX	BC52151-KSSX-NG*	BC52171-KSSX	CI52171-KSSX-1	CI52171-1-SSX-1
				
CI72171-KSSX	CI54151-KSSX	BC54151-LSSAX	BC54151-LSSAX-NG*	
				
BC1110-SSX	CI54171-KSSX	CI54171-KSSX-5/8	BC52171-KSSXHVKIT	

* Heavy-duty adjustable bracket that provides solid support even up to 3-1/2 in. away from steel studs.



Cat. No.	Volume (Cu. in.)	Clamps	Knockouts					Pryouts
			1/2 in. sides	1/2 in. bottom	3/4 in. sides	3/4 in. bottom	1 in. sides	sides
4 in. Square Boxes – 1-1/2 in. Deep								
BC52151-KSSX	21.0	-	7	4	3	2	-	-
BC52151-KSSX-NG*	21.0	-	7	4	3	2	-	-
4 in. Square Boxes – 2-1/8 in. Deep								
BC52171-KSSX	30.0	-	7	4	3	2	-	-
BC52171-KSSX-NG*	30.0	-	7	4	3	2	-	-
CI52171-KSSX-1	30.0	-	7	4	3	2	-	-
CI52171-1-SSX-1	30.0	-	-	4	-	2	2	-
4-11/16 in. Square Boxes – 2-1/8 in. Deep								
CI72171-KSSX	42.0	-	8	4	4	2	-	-
4 in. Octagonal Boxes – 1-1/2 in. Deep								
CI54151-KSSX	15.0	-	2	4	2	2	-	-
BC54151-LSSAX	15.0	Loomex/BX	-	1	-	-	-	4
BC54151-LSSAX-NG*	15.0	Loomex/BX	-	1	-	-	-	4
4 in. Octagonal Boxes – 2-1/8 in. Deep								
CI54171-KSSX	21.0	-	2	4	2	2	-	-
CI54171-KSSX-5/8	21.0	-	2	4	2	2	-	-
4 in. Square – 2-1/8 in. Deep								
BC52171-KSSXHVKIT	33.6	“GSX”	6	-	2	-	-	-

* Heavy-duty adjustable bracket that provides solid support even up to 3-1/2 in. away from steel studs and supplied with raised ground screws.

Cat. No.	Volume (Cu. in.)	Features		Knockouts		
		Brackets	Raised Ground Screw	1/2 in. ends	1/2 in. bottom	1/2 in. sides
4 in. Square Boxes – 1-1/2 in. Deep						
BC1110-SSX	16.5	“SSX”	oui	7	4	3